|  | DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD |  |
|--|--|--|
|--|--|--|

EX

666666 666666 66

600000 600000

| EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE | RRRRRRRR<br>RRRRRRRR<br>RR RR<br>RR RR<br>RR RR<br>RRRRRR | RRRRRRRR<br>RR RR<br>RR RR<br>RR RR<br>RR RR<br>RR RR<br>RRRRRR              | MM MM MMM MMM MMMM MMM MMM MM MM MM MM M | \$ | 666666666666666666666666666666666666666 |
|--|---|--|--|--|---|
|  |   | \$ |  |  |   |
|  |   | \$\$<br>\$\$<br>\$\$<br>\$\$<br>\$\$<br>\$\$<br>\$\$<br>\$\$<br>\$\$         |  |  |   |

EC V

```
COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.
```

0031

0051 0052

0056

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

This file, ERRMSG.REQ, contains definitions of EDT's messages.

```
Edit history:

1-001 - Original, from EDT.REQ. JBS 20-Jul-1981
1-002 - Add a short global name for PDP-11 MACRO modules. JBS 20-Jul-1981
1-003 - Add a message for 'work file failed to open'. Module RSTIOI was using code 0 for this condition! JBS 20-Jul-1981
1-004 - Change '' to '' in PDP-11 names. JBS 21-Jul-1981
1-005 - Don't define the short global names, let EDT$MESSAGE do it. JBS 21-Jul-1981
1-006 - Use an iterative macro. JBS 21-Jul-1981
1-006 - Use the specified increment rather than 1 between messages. JBS 27-Jul-1981
1-008 - Correct a couple of typos based on the MDL file. JBS 28-Jul-1981
1-010 - Update a message based on the PDP-11 messages. JBS 28-Jul-1981
1-010 - Change the form of the mnemonics to EDT$..., Limit the names to nine characters, and let them be defined as globals on VRX-11. JBS 04-Aug-1981
1-011 - Add new error msg INVSTR for bad string passed to set command. STS 20-0ct-1981
1-012 - Make the INVSTR message more general so it can be used in more cases. JBS 22-Oct-1981
1-013 - Correct a typo in NOFILSPC. SMB 05-Now-1981
1-014 - Revise messages FORHLPANO & TOEXITHLP. SMB 19-Nov-1981
1-015 - Add a new message NOKEYHLP for no help on a key in change mode. SMB 20-Nov-1981
1-016 - Add a new message for line number & sequence numbers out of range. SMB 3-feb-1982
1-017 - Revise existing error messages related to line numbers. SMB 05-feb-1982
1-018 - Add a new message for numeric value out of range. JBS 10-feb-1982
1-019 - Add a new message for internal EDT error. STS 19-feb-1982
1-021 - Add anew message for internal EDT error. STS 19-feb-1982
1-022 - Add message for passing back status. STS 00-Mar-1982
1-023 - Add message for re-entry of EDT. STS 11-Mar-1982
1-024 - Add message for passing back status. STS 00-Mar-1982
1-025 - Add a message for a non-standard input file. JBS 26-Mar-1982
1-026 - Make the PDP-11 messages be status codes -- good ones are odd, bad are even. JBS 26-Mar-1982
                 Edit history:
```

ED VO

1-028 - Add second control C message. JBS 24-May-1982
1-029 - Add an error message for Help File initialization. SMB 28-May-1982
1-030 - Put the messages in the same order as the manual, to simplify verifying one against the other. JBS 09-Jun-1982
1-031 - Add "Press return to continue". JBS 17-Jun-1982
1-032 - Add "Working". JBS 18-Jun-1982
1-033 - Add a new select range error message. SMB 01-Jul-1982
1-034 - Do some miscellaneous improvements based on today's review. JBS 12-Jul-1982
1-035 - Fix duplicated mnemonic. JBS 13-Jul-1982
1-036 - Move ER\_OUT and ER\_INP to reflect the real meaning of the messages. SMB 13-Jul-1982
1-037 - Add an error message for no output file written and invalid input from terminal. STS 05-Aug-1982
1-038 - Take spaces out of the working message. SMB 18-Aug-1982
1-039 - Remove unused messages and add one new one. SMB 13-Dec-1982
1-040 - Add two new error messages for terminal opening. STS 15-Dec-1982
1-041 - Change the severity of terminal open errors to fatal. STS 16-Dec-1982
1-042 - Remove references to ASCII, since EDT uses the DEC Multinational character set. JBS 20-Jan-1983

0058 0059 0060 0061 0062 0063 0064 0065 0066 0067 0071 0072 0073 0074 0075

ED VO

Page

```
0077
0078
0079
0080
0081
0082
0083
0084
0085
0086
0087
0091
0092
0093
0094
0095
                                                                                                     Maintenance note: the messages should be kept in alphabetical order
                                                                                                     by text, so that they can be matched against the manual.
                                                                                                  Error messages: name, severity and text.
                                                                                       MACRO
                                                                                                                                                    R_MESSAGES =

ERR (COLONREQ, W. ''.'.' required',
ABOBYCC, W. 'Aborted by CTRL/C',
BOTOFBUF, W. 'Advance past bottom of buffer',
ASREQ, W. ''.AS' required',
ATTCUTAPP, W. 'Attempt to CUI or APPEND to current buffer',
ATTCUTAPP, W. 'Attempt to PASTE current buffer',
REENTRY, f. 'Attempt to PASTE current buffer',
NOSETTRN, W. 'Attempt to re-enter EDI',
NOSETTRN, W. 'Cannot set terminal type from change mode',
CMGMODIFER, W. 'Change mode can be entered only from a terminal',
COMEJHEKIA, W. 'Command buffer exhausted', rommand processing',
COMEJHEKIA, W. 'Command buffer exhausted' during XLATE command processing',
COMFILLOP, W. Command file could not be closed',
CONFILLOP, W. Command file could not be opened',
CONFILMEX, W. Command file does not exist.
CONCHRILD, W. Consistency check failed, please check your file',
CIRC GON, W. CTRL/C ignored',
DITORABO, F. Editor aborted',
DITORABO, F. Editor aborted',
ENTWUSTBE, W. Entity must be WORD, SENTENCE, PARAGRAPH or PAGE',
ERRCOMOPT, W. Error in range specification',
OPNINTRN, F. Error opening terminal for input',
OPNOUTRM, F. Error opening terminal for input',
ERRINPFIL, W. Error reading from input file', ER_INP,
ERRINPFIRM, W. Error reading from input file', ER_INP,
ERRINPFIRM, W. Error reading from terminal', ER_OUT,
BADFILATR, W. File attributes error', ER_TYP,
ORNLPAND, W. File specification required',
INCFILCO, W. Help file could not be closed',
INCFILCO, W. Help file could not be opened',
INCFILCO, W. Help file could not be opened',
INCFILCO, W. Help file could not be opened',
INCFILCO, W. Include file could not be opened',
INCFILCO, W. Inc
                                                                                                                   ERROR_MESSAGES =
    0097
    0098
    0099
0100
0101
0102
0103
0104
0105
0106
0107
0108
0109
0110
   0111
  0112
0113
0114
0115
0116
0117
   0118
0119
0120
0121
0123
0124
0125
0126
0127
0128
0129
0131
0132
0133
                                                                                                                                                                                                         INSMEM, W.
INTERERR, F.
INVBUFNAM, W.
                                                                                                                                                                                                                                                                                                         'Internal software error - please submit an SPR',, 'Invalid buffer name',,
```

Page

ED VO

```
INVASCCHR, W,
INVENT, W,
INVOPTCOM, W,
M 0134
M 0135
M 0137
M 0138
M 0143
M 0144
M 0144
M 0144
M 0144
M 0147
M 0151
M 0153
M 0153
M 0153
                                                                INVPARFOR, W.
                                                              INVPARFOR, W.
INVSTR. W.
INVSUBCOM. W.
INVVALSET. W.
IOERRWRK. F.
JOUFILCLO. W.
NOJNLFIL, W.
BADDEFK. W.
LINEXC255. W.
MACKEYREQ,
                                                               MAXINPLIN,
                                                               MAXLINNUM,
                                                               MAXLINVAL,
                                                               NODEFN, W,
NOKEYHLP, W,
BADRANGE, F,
NOFILWRT, W,
                                                               NOSELRAN, W.
NOSUCHLIN, W
                                                               NOWENTDEF.
NUMVALILL.
                                                               NUMVALREQ.
                                                            NOORIGNUM.
OUTFILCLO. W.
OUTFILCRE. W.
                                                               PLSANSYNQ,
                                                               PASSTATUS,
                                                               PRERETCON.
                                                               PRSKEYDEF,
PRIFILCLO,
PRIFILCRE.
                                                               QUOSTRREQ,
                                                               RANNONCON, W
                                                               RANSPCSEQ,
RECTOOBIG,
                                                               SUBSTRNUL,
INVSRAN, W.
SELALRACT,
                                                               SEQINCROV, F. SEQNUMOV, F. NONALPNUM, W. STRNOTFND, W.
                                                               KEYNOTDEF, W.
TOEXITHLP, W.
TORETKEY, W.
UNXCHRAFT, W.
                                                               UNRCOM, W,
UNRCOMOPT, W,
WORFILCLO, W,
WORFILFAI, F,
WRKFILOVF, F,
WORKING, F,
                                                                                            'Working' ..
```

15-Sep-1984 23:01:23 15-Sep-1984 22:44:02

VAX-11 Bliss-32 V4.0-742 \_\$255\$DUA28:[EDT.SRC]ERRMSG.REQ;1

Page (2)

F 6 15-Sep-1984 23:01:23 VAX-11 BLiss-32 V4.0-742 15-Sep-1984 22:44:02 \$255\$DUA28:[EDT.SRCJERRMSG.REQ;1

WRIFILCLO, W. 'Write file could not be closed', ... WRIFILCRE, W. 'Write file could not be created',..

X;

: M 0191 : M 0192 : M 0193 : M 0194

```
ED
```

Page

```
15-Sep-1984 23:01:23
15-Sep-1984 22:44:02
                                                                                                                              VAX-11 Bliss-32 V4.0-742
$255$DUA28: [EDT. SRCJERRMSG.REQ; 1
  0000000000000000000000000
                       Define the base and offset for the message codes.
The offset is used to distinguish EDT message codes from system-specific message codes. On VAX/VMS, the codes are defined by the MESSAGE compiler.
                    XIF XBLISS (BLISS16)
LITERAL

W_BASE = 256,

F_BASE = 256,

I_BASE = 257,

E_INC = 2;
                     ! Define the error codes.
                     MACRO
                          ERR [NAME, SEVERITY, TEXT, ENAME] =
                                I:
                     COMPILETIME
                          ERROR_CODE = 1;
                    LITERAL
                          ERROR_MESSAGES;
                    UNDECLARE %QUOTE
                          ERR:
                    ZFI
                       The modules EDT$MESSAGE and EDT$MSGTXT use macro ERROR_MESSAGES to
                        generate the text of each message.
                       Define the MESSAGES macro, which defines EDTs mnemonic properly for either BLISS16 or BLISS32. On BLISS16 it is defined as a literal,
                       equal to the ERR_mnemonic name. On BLISS32 it is defined as external.
                     MACRO
                           MESSAGES (MNEMONIC_LIST) =
EEEEEEEE
                          XIF XBLISS(BLISS16) XTHEN
MACRO MSG [MNEMONIC] =
XNAME ('EDTS', MNEMONIC) = XNAME ('ERR_', MNEMONIC) XQUOTE X;
LITERAL MSG (XREMOVE (MNEMONIC_LIST));
                                 UNDECLARE XQUOTE XQUOTE MSG;
                           XEL SE
```

```
H 6
15-sep-1984 23:01:23 VAX-11 Bliss-32 V4.0-742
15-sep-1984 22:44:02 _$255$DUA28:[EDT.SRC]ERRMSG.REQ:1
                                                MACRO MSG [MNEMONIC] =

**NAME("EDTS", MNEMONIC) **QUOTE **;

EXTERNAL LITERAL MSG (**XREMOVE(MNEMONIC_LIST));

UNDECLARE **QUOTE **AQUOTE MSG;
                                                End of file ERRMSG.REQ
                                                                                COMMAND QUALIFIERS
                BLISS/LIBRARY=EDTSRC:ERRMSG/LIST=LIS$:/SOURCE=REQUIRE SRC$:ERRMSG
Run Time: 00:02.5
Elapsed Time: 00:08.7
Lines/CPU Min: 6315
Lexemes/CPU-Min: 25093
Memory Used: 27 pages
Library Precompilation Complete
```

ED VO

.........

0133 AH-BT13A-SE VAX/VMS V4.0

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

